



2600hz
CLOUD TELECOM

Kamailio and Kazoo

Presented by Karl Anderson


Karl Anderson

Senior Bit Herder












What is Kazoo



G. D. SMITH.
MUSICAL TOY.

(Application filed May 15, 1901.)


(No Model.)



Witnesses:
 Henry L. Deck.
 F. F. Schuyler.

George D. Smith Inventor.
 Prof. Wilhelm St. Pomeroy
 Attorneys.








What is AMQP









What is db_kazoo



Anca Vamanu





How do we use it



modparam("auth_db|usrloc", "db_url", "kazoo://guest:guest@127.0.0.1:5672/callmgr")

modparam("presence", "db_url", "kazoo://guest:guest@127.0.0.1:5672/dialoginfo")

```
##### Authentication module #####
loadmodule "auth.so"
loadmodule "auth_db.so"
modparam("auth_db", "version_table", 0)
modparam("auth_db", "password_column", "password")
modparam("auth_db", "load_credentials", "$avp(password)=password")

##### User Location module #####
loadmodule "usrloc.so"
modparam("usrloc", "db_mode", 1)
modparam("usrloc", "db_update_as_insert", 1)


route[HANDLE_REGISTER]
{
    if (is_method("REGISTER")) {
        if (auth_check("$fd", "subscriber", "1")) {
            consume_credentials();
            save("location");
        } else {
            auth_challenge("$fd", "0");
        }
        exit;
    }
}
```

```
##### Generic Hash Table in shared memory #####
modparam("htable", "htable", "dbkp=>size=16;autoexpire=7200")

##### Presence User Agent #####
loadmodule "pua_dialoginfo.so"
modparam("pua_dialoginfo", "library_mode", 1)

##### Presence Server #####
loadmodule "presence.so"
loadmodule "presence_dialoginfo.so"
modparam("presence", "subs_db_mode", 1)

##### Presence Logic #####
route[HANDLE_SUBSCRIBE]
{
    if (is_method("SUBSCRIBE")) {
        if (!t_newtran()) {
            sl_reply_error();
            exit;
        }
        handle_subscribe();
        t_release();
        exit;
    }
}
```





How does it work



```
int db_kazoo_bind_api(db_func_t *dbb)
{
    dbb->init           = db_kazoo_init;
    dbb->use_table      = db_kazoo_use_table;
    dbb->close          = db_kazoo_close;
    dbb->query          = db_kazoo_query;
    dbb->free_result    = db_kazoo_free_result;
    dbb->insert         = db_kazoo_insert;
    dbb->replace        = db_kazoo_replace;
    dbb->insert_update  = db_kazoo_insert_update;
    dbb->delete         = db_kazoo_delete;
    dbb->update         = db_kazoo_update;
    dbb->raw_query      = db_kazoo_raw_query;
    dbb->cap            = DB_CAP_ALL;

    return 0;
}
```



```

int dbk_credentials_query(const db1_con_t* _h, ..., db1_res_t** _r) {
    amqp_mb.len = sprintf(messagebody, "{\\"Method\\":\\"REGISTER\\", "
                          "\\"Auth-Realm\\":\\"%.*s\\", "
                          "\\"Auth-User\\":\\"%.*s\\", "
                          "\\"From\\":\\"%.*s@%.*s\\", "
                          "\\"To\\":\\"%.*s@%.*s\\", "
                          "\\"Server-ID\\":\\"%s\\", "
                          "\\"Node\\":\\"kamailio@%.*s\\", "
                          "\\"Msg-ID\\":\\"%.*s\\", "
                          "\\"App-Version\\":\\"%s\\", "
                          "\\"App-Name\\":\\"%s\\", "
                          "\\"Event-Name\\":\\"authn_req\\", "
                          "\\"Event-Category\\":\\"directory\\"}",
                          _v[1].val.str_val.len, _v[1].val.str_val.s,
                          _v[0].val.str_val.len, _v[0].val.str_val.s,
                          _v[0].val.str_val.len, _v[0].val.str_val.s,
                          _v[1].val.str_val.len, _v[1].val.str_val.s,
                          _v[0].val.str_val.len, _v[0].val.str_val.s,
                          _v[1].val.str_val.len, _v[1].val.str_val.s,
                          serverid,
                          dbk_node_hostname.len, dbk_node_hostname.s,
                          unique_string.len, unique_string.s,
                          VERSION, NAME);
    amqp_mb.bytes = messagebody;

    if (!amqp_basic_publish(rmq->conn, rmq->channel, ..., amqp_mb)) {
        goto error;
    }
}

```

```
while (body_received < body_target) {
    if (dbk_rmq_wait_for_data(rmq->conn) < 0 ) {
        goto error;
    }
    memcpy(body + body_received, frame.payload.body_fragment.bytes,
           frame.payload.body_fragment.len);
    body_received += frame.payload.body_fragment.len;
    if (body_received != body_target) {
        goto error;
    }
}
body[body_received] = '\\0';

db1_res_t* db_res = dbk_creds_build_result(body, _c, _nc);
*_r = db_res;

return 0;
}
```



What next



BEER

12 fl.oz.

BEER


12 fl.oz.


BEER

12 fl.oz.

BEER

12 fl.oz.





github.com/2600hz

2600hz.com



We're a
Bunch of
TELECOM Geeks



Bring Your
Own Device



 **KAZOOCon**

**Playing with the
2600hz Mobile Network**

Presented By: the 2600hz Team



Learn more!

voipkb.com

KAZOO

California, San Francisco

June 2-4

FreeSWITCH

Wisconsin, Milwaukee

June 23-25